



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,239	01/29/2004	Kang Soo Seo	46500-000600/US	2911
30593 7590 06/24/2009 HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 8910 RESTON, VA 20195				
EXAMINER				
JONES, HEATHER RAE				
ART UNIT		PAPER NUMBER		
2621				
MAIL DATE		DELIVERY MODE		
06/24/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/766,239

Applicant(s)

SEO ET AL.

Examiner

HEATHER R. JONES

Art Unit

2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) 1,2,9,10,12-15,18-21,23,24,26,27,29,30,32,35,36,38,39,41,42,44 and 45 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) 1,2,9,10,12-15,18-21,23,24,26,27,29,30,32,35,36,38,39,41,42,44 and 45 is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 4/3/2009.
- 4) ☐ Interview Summary (PTO-813)
Paper No(s)/Mail Date: _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on April 3, 2009 has been entered.

Response to Arguments

2. Applicant's arguments filed April 3, 2009 have been fully considered but they are not persuasive.

The Applicant argues that Ando et al. fails to disclose a data area storing a first stream file for presentation data and a second stream file for audio data, the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the related data not including audio data. The Examiner respectfully disagrees. Ando et al. discloses in Fig. 4 a still picture VOB entry #1 which includes on still picture (292) and still picture information (291 - type). Fig. 11 was cited to disclose the presentation data being divided up into a number of still pictures. Therefore, Ando et al. meets the claimed limitations and the rejection is maintained.

3. Applicant's arguments with respect to claim 1 regarding the limitation of the audio data being reproduced asynchronously and independently from the still picture unit have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 2, 9, 10, 12-15, 18-21, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 39, 41, 42, 44, and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato et al. (U.S. Patent Application Publication 2002/0145702) in view of Ando et al. (U.S. Patent 7,054,545) in view of Mori et al. (U.S. Patent 6,529,683).

Recording claim 1, Kato et al. discloses a computer-readable medium having a data structure for managing reproduction of still pictures, comprising: a navigation area storing at least one playlist file (Fig. 14), and first and second clip information files (Figs. 2, 14; paragraph [0195]), the playlist file including at least one playitem and at least one sub-playitem, the playitem indicating an in-point and an out-point of the first stream file for reproducing at least one still picture, the sub-playitem indicating an in-point and an out-point of a second stream file for reproducing audio data (Figs. 2, 3, 7, 14, 32, and 40; paragraph [0195]), the first clip information file including a first entry point map, the first entry point map

including at least one entry point mapping between a presentation time and a unit of the first stream file, the second clip information file including a second entry point map, the second entry point map including at least one entry point mapping between a presentation time and a unit of the second stream (Figs. 7 and 70; paragraphs [0195] and [0345]). However, Kato et al. fails to disclose a data area storing a first and second stream files, the first stream file including presentation data, the second stream file including audio data, the presentation data being divided into a number of still picture units, the still picture units including at least a still picture and associated related data, the related data not including audio data; the playitem further including duration information indicating whether to display the still picture for one of a finite and in infinite period of time, wherein the presentation data such that a still picture and the related data in a still picture unit are reproduced synchronously; wherein the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Ando et al. reference, Ando et al. discloses a computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing a first stream file for presentation data and a second stream file for audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the related data not including audio data (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being

associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the still picture for one of a finite and an infinite period of time, and wherein playtime further includes second duration information indicating a length in time to display the still picture when the first duration information indicates to display the still picture for a finite period of time (col. 39, lines 38-63 – audio and still information).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the medium disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. Furthermore, Official Notice is taken that it is well known in the art to have still pictures linked to related data, wherein the related data is either a subtitle or a caption, and to display the related data and still picture synchronously.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have reproduced captions synchronously with the still pictures in the computer-readable medium disclosed by Kato et al. in view of Ando et al. in order to provide more insight to the still pictures by using captions. However, Kato et al. in view of Ando et al. still fail to disclose that the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Mori et al. reference, Mori et al. discloses a computer-readable medium comprising a mode that allows the user to enter a "browsable" mode, wherein the still pictures are reproduced asynchronously from the audio data and the still pictures are updated based on the user's instructions (col. 4, line 57 - col. 5, line 6; col. 36, lines 49-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included produced the audio asynchronously from the video data as disclosed by Mori in the computer-readable medium disclosed by Kato et al. in view of Ando et al. in order to allow the user to enter a browse mode and be able to look at the still pictures at their own pace.

Regarding claim 2, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claim 1 including that the entry point of the first entry point map provides an address of the still picture (Kato et al.: Figs. 2, 14, 63; paragraph [0195]).

Regarding claim **9**, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claim 1 including that the related data includes graphics data (Ando et al.: Figs. 6A and 6B).

Regarding claim **10**, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claim 1 including that the related data includes subtitle data (Ando et al.: Figs. 6A and 6B).

Regarding claim **12**, Kato et al. in view of Ando et al. discloses all the limitations as previously discussed with respect to claim 1 including that the presentation data is multiplexed into a transport stream on a still picture unit basis (Ando et al: col. 19, lines 16-18 – when the presentation data is reproduced the data has to be demultiplexed, therefore the data is originally multiplexed).

Regarding claim **13**, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claims 1 and 12 including that each elementary stream of the presentation data are aligned within the still picture unit (Ando et al: Figs. 1, 32, and 36; col. 33, lines 41-52 – elementary streams are included in MPEG).

Regarding claim **14**, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claims 1, 12, and 13 including that each elementary stream is a packetized elementary stream

(Ando et al.: Figs. 1, 32, and 36; col. 33, lines 41-52 – elementary streams are included in MPEG).

Regarding claim 15, Kato et al. in view of Ando et al. in view of Mori et al. discloses all the limitations as previously discussed with respect to claims 1 and 12-14 including that each still picture unit includes one packet from each packetized elementary stream (Ando et al: Figs. 1, 32, and 36; col. 33, lines 41-52 – elementary streams are included in MPEG).

Recording claim 18, Kato et al. discloses a method of recording a data structure for managing reproduction of at least one still image on a recording medium, comprising: recording at least one playlist file, and first and second clip information files in a navigation area on the recording medium, the playlist file including at least one playitem and at least one sub-playitem, the playitem indicating an in-point and an out-point of a first stream file for reproducing at least one still picture, the sub-playitem indicating an in-point and an out-point of a second stream file for reproducing audio data (Figs. 2, 3, 7, 14, 32, and 40; paragraph [0195]), the first clip information file including a first entry point map, the first entry point map including at least one entry point mapping between a presentation time and a unit of the first stream file, and the second clip information file including a second entry point map, the second entry point map including at least one entry point mapping between a presentation time and a unit of the second stream file (Figs. 7 and 70; paragraphs [0195] and [0345]). However, Kato et al. fails to disclose a data area recording first and second

stream files, the first stream file including presentation data, the second stream file including audio data, the presentation data being divided into a number of still picture units, the still picture units including at least a still picture and associated related data, the related data not including audio data; the playitem further including duration information indicating whether to display the still picture for one of a finite and in infinite period of time, wherein the presentation data such that a still picture and the related data in a still picture unit are reproduced synchronously; wherein the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Ando et al. reference, Ando et al. discloses a computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing a first stream file for presentation data and a second stream file for audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the related data not including audio data (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip

information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the still picture for one of a finite and an infinite period of time, and wherein playtime further includes second duration information indicating a length in time to display the still picture when the first duration information indicates to display the still picture for a finite period of time (col. 39, lines 38-63 – audio and still information).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the method disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. Furthermore, Official Notice is taken that it is well known in the art to have still pictures linked to related data, wherein the related data is either a subtitle or a caption, and to display the related data and still picture synchronously. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have reproduced captions synchronously with the still pictures in the method disclosed by Kato et al. in view of Ando et al. in order to provide more insight to the still pictures by using captions. However, Kato et

al. in view of Ando et al. still fail to disclose that the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Mori et al. reference, Mori et al. discloses a computer-readable medium comprising a mode that allows the user to enter a "browsable" mode, wherein the still pictures are reproduced asynchronously from the audio data and the still pictures are updated based on the user's instructions (col. 4, line 57 - col. 5, line 6; col. 36, lines 49-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included produced the audio asynchronously from the video data as disclosed by Mori in the method disclosed by Kato et al. in view of Ando et al. in order to allow the user to enter a browse mode and be able to look at the still pictures at their own pace.

Recording claim **19**, Kato et al. discloses a method of reproducing a data structure for managing reproduction of at least one still image on a recording medium, comprising: reproducing at least one first and second stream files in a data area of the recording medium (Figs. 2, 14; paragraph [0195]), reproducing at least one playlist file, and first and second clip information files in a navigation area on the recording medium, the playlist file including at least one playitem and at least one sub-playitem, the playitem indicating an in-point and an out-point of a first stream file for reproducing at least one still picture, the sub-playitem indicating an in-point and an out-point of a second stream file for reproducing audio data (Figs. 2, 3, 7, 14, 32, and 40; paragraph [0195]), the first clip

information file including a first entry point map, the first entry point map including at least one entry point mapping between a presentation time and a unit of the first stream file, and the second clip information file including a second entry point map, the second entry point map including at least one entry point mapping between a presentation time and a unit of the second stream file (Figs. 7 and 70; paragraphs [0195] and [0345]). However, Kato et al. fails to disclose a data area reproducing first and second stream files, the first stream file including presentation data, the second stream file including audio data, the presentation data being divided into a number of still picture units, the still picture units including at least a still picture and associated related data, the related data not including audio data; the playitem further including duration information indicating whether to display the still picture for one of a finite and in infinite period of time, wherein the presentation data such that a still picture and the related data in a still picture unit are reproduced synchronously; wherein the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Ando et al. reference, Ando et al. discloses a computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing a first stream file for presentation data and a second stream file for audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the

related data not including audio data (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the still picture for one of a finite and an infinite period of time, and wherein playtime further includes second duration information indicating a length in time to display the still picture when the first duration information indicates to display the still picture for a finite period of time (col. 39, lines 38-63 – audio and still information).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the method disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. Furthermore, Official Notice is taken that it is well known in the art to have still

pictures linked to related data, wherein the related data is either a subtitle or a caption, and to display the related data and still picture synchronously.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have reproduced captions synchronously with the still pictures in the method disclosed by Kato et al. in view of Ando et al. in order to provide more insight to the still pictures by using captions. However, Kato et al. in view of Ando et al. still fail to disclose that the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Mori et al. reference, Mori et al. discloses a computer-readable medium comprising a mode that allows the user to enter a "browsable" mode, wherein the still pictures are reproduced asynchronously from the audio data and the still pictures are updated based on the user's instructions (col. 4, line 57 - col. 5, line 6; col. 36, lines 49-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included produced the audio asynchronously from the video data as disclosed by Mori in the method disclosed by Kato et al. in view of Ando et al. in order to allow the user to enter a browse mode and be able to look at the still pictures at their own pace.

Recording claim **20**, Kato et al. discloses an apparatus for recording a data structure for managing reproduction of at least one still image on a recording medium, comprising: a pick up configured to record data on the recording medium (Figs. 1 and 108); a controller configured to record first and

second stream files in a data area of the recording medium (Figs. 2, 14; paragraph [0195]), and configured to record at least one playlist file, and first and second clip information files in a navigation area on the recording medium, the playlist file including at least one playitem and at least one sub-playitem, the playitem indicating an in-point and an out-point of a first stream file for reproducing, the sub-playitem indicating an in-point and an out-point of a second stream file for reproducing audio data (Figs. 2, 3, 7, 14, 32, and 40; paragraph [0195]), the first clip information file including a first entry point map, the first entry point map including at least one entry point mapping between a presentation time and a unit of the first stream file, and the second clip information file including a second entry point map, the second entry point map including at least one entry point mapping between a presentation time and a unit of the second stream file (Figs. 7 and 70; paragraphs [0195] and [0345]). However, Kato et al. fails to disclose a data area recording first and second stream files, the first stream file including presentation data, the second stream file including audio data, the presentation data being divided into a number of still picture units, the still picture units including at least a still picture and associated related data, the related data not including audio data; the playitem further including duration information indicating whether to display the still picture for one of a finite and in infinite period of time, wherein the presentation data such that a still picture and the related data in a still picture unit are reproduced synchronously; wherein the

audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Ando et al. reference, Ando et al. discloses a computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing a first stream file for presentation data and a second stream file for audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the related data not including audio data (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the still picture for one of a finite and an infinite period of time, and wherein playtime further includes second duration information indicating a length in time to display the still picture when the first duration information indicates to display

the still picture for a finite period of time (col. 39, lines 38-63 – audio and still information).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the apparatus disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. Furthermore, Official Notice is taken that it is well known in the art to have still pictures linked to related data, wherein the related data is either a subtitle or a caption, and to display the related data and still picture synchronously. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have reproduced captions synchronously with the still pictures in the apparatus disclosed by Kato et al. in view of Ando et al. in order to provide more insight to the still pictures by using captions. However, Kato et al. in view of Ando et al. still fail to disclose that the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Mori et al. reference, Mori et al. discloses a computer-readable medium comprising a mode that allows the user to enter a "browsable" mode, wherein the still pictures are reproduced asynchronously from the audio data and the still pictures are updated based on the user's instructions (col. 4, line 57 - col. 5, line 6; col. 36, lines 49-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included produced the audio asynchronously from the video data as disclosed by Mori in the apparatus disclosed by Kato et al. in view of Ando et al. in order to allow the user to enter a browse mode and be able to look at the still pictures at their own pace.

Recording claim **21**, Kato et al. discloses an apparatus for reproducing a data structure for managing reproduction of at least one still image on a recording medium, comprising: a pick up configured to reproduce data on the recording medium (Figs. 1 and 108); a controller configured to reproduce first and second stream files in a data area of the recording medium (Figs. 2, 14; paragraph [0195]) and to reproduce at least one playlist file, and first and second clip information file, the playlist file including at least one playitem and at least one sub-playitem, the playitem indicating an in-point and an out-point of a first stream file for reproducing at least one still picture, the sub-playitem indicating an in-point and an out-point of a second stream file for reproducing audio data (Figs. 2, 3, 7, 14, 32, and 40; paragraph [0195]), the first clip information file including a first entry point map, the first entry point map including at least one entry point mapping between a presentation time and a unit of the first stream file, and the second clip information file including a second entry point map, the second entry point map including at least one entry point mapping between a presentation time and a unit of the second stream file (Figs. 7 and 70; paragraphs [0195] and [0345]).

However, Kato et al. fails to disclose a data area recording first and second stream files, the first stream file including presentation data, the second stream file including audio data, the presentation data being divided into a number of still picture units, the still picture units including at least a still picture and associated related data, the related data not including audio data; the playitem further including duration information indicating whether to display the still picture for one of a finite and in infinite period of time, wherein the presentation data such that a still picture and the related data in a still picture unit are reproduced synchronously; wherein the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Ando et al. reference, Ando et al. discloses a computer readable medium having a data structure for managing reproduction duration of still pictures, comprising: a data area storing a first stream file for presentation data and a second stream file for audio data (Figs. 1 and 7; col. 5, lines 29-33), the presentation data being divided into a number of still picture units, the still picture units including at least one still picture and associated related data, the related data not including audio data (Figs. 1, 4, and 11); a clip information area storing at least one clip information file, each clip information file being associated with at least one stream file stored in a data area, the clip information file providing a map for the associated stream file, each map mapping representation time information to address information for the associated stream file (Figs. 3 and 4; col. 7, lines 7-63; col. 9, lines 1-33); and a navigation area

storing at least one playlist (col. 11, lines 12-15), the playlist referencing the clip information file and including at least one playitem, the playitem indicating at least one of the still picture units to reproduce and providing duration information for display of the still picture in the still picture unit (Figs. 7, 8, 10, and 11; col. 39, lines 38-50); wherein the first duration information indicates whether to display the still picture for one of a finite and an infinite period of time, and wherein playtime further includes second duration information indicating a length in time to display the still picture when the first duration information indicates to display the still picture for a finite period of time (col. 39, lines 38-63 – audio and still information).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included the duration information in the navigation information as disclosed by Ando et al. in the apparatus disclosed by Kato et al. in order for the playlist to perform more efficiently by knowing the duration of each playtime thereby creating an overall better viewing experience. Furthermore, Official Notice is taken that it is well known in the art to have still pictures linked to related data, wherein the related data is either a subtitle or a caption, and to display the related data and still picture synchronously. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have reproduced captions synchronously with the still pictures in the apparatus disclosed by Kato et al. in view of Ando et al. in order to provide more insight to the still pictures by using captions. However,

Kato et al. in view of Ando et al. still fail to disclose that the audio data is reproduced asynchronously and independently from the still picture unit.

Referring to the Mori et al. reference, Mori et al. discloses a computer-readable medium comprising a mode that allows the user to enter a "browsable" mode, wherein the still pictures are reproduced asynchronously from the audio data and the still pictures are updated based on the user's instructions (col. 4, line 57 - col. 5, line 6; col. 36, lines 49-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included produced the audio asynchronously from the video data as disclosed by Mori in the apparatus disclosed by Kato et al. in view of Ando et al. in order to allow the user to enter a browse mode and be able to look at the still pictures at their own pace.

Regarding claims **23, 24, 26, and 27**, grounds for rejecting claims 9, 10, 12, and 13 applies for claims 23, 24, 26, and 27 respectively in their entireties.

Regarding claims **29, 30, 32, and 33**, grounds for rejecting claims 9, 10, 12, and 13 applies for claims 29, 30, 32, and 33 respectively in their entireties.

Regarding claims **35, 36, 38, and 39**, grounds for rejecting claims 9, 10, 12, and 13 applies for claims 35, 36, 38, and 39 respectively in their entireties.

Regarding claims **41, 42, 44, and 45**, grounds for rejecting claims 9, 10, 12, and 13 applies for claims 41, 42, 44, and 45 respectively in their entireties.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HEATHER R. JONES whose telephone number is (571)272-7368. The examiner can normally be reached on Mon. - Thurs.: 7:00 am - 4:30 pm, and every other Fri.: 7:00 am - 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thai Tran can be reached on 571-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Heather R Jones
Examiner
Art Unit 2621

HRJ
June 19, 2009

/Thai Tran/
Supervisory Patent Examiner, Art Unit 2621